



HITCH JACKS BY RAM



EXPERIENCE • EXPERTISE • QUALITY • SERVICE



RAM Hitch Jacks feature a rugged construction with powder coated black finish, and plated components to prevent rusting. They come complete with weld-on tube and a durable gear construction for easy trouble free use.

2500 LB SIDE WIND JACK



Load Capacity:	2500 lbs
Travel:	15" (38 cm)
Closed Height:	21.25" (54 cm)
Expanded Height:	36.22" (92 cm)
Pipe Size:	1.9" OD/1.7 ID (5.0 cm OD/4.4 cm ID)
Outer Tube:	Black powder coated
Inner Tube:	Galvanized pipe
Model Number:	TJ-2500S

5000 LB SIDE WIND JACK



Load Capacity:	5000 lbs
Travel:	15" (38 cm)
Closed Height:	21.25" (54 cm)
Expanded Height:	36.22" (92 cm)
Pipe Size:	2.2" OD/2.0 ID (5.7 cm OD/5.1 cm ID)
Outer Tube:	Black powder coated
Inner Tube:	Galvanized pipe
Model Number:	TJ-5000S

2500 LB TOP WIND JACK



Load Capacity:	2500 lbs
Travel:	15" (38 cm)
Closed Height:	21.25" (54 cm)
Expanded Height:	36.22" (92 cm)
Pipe Size:	1.9" OD/1.7 ID (5.0 cm OD/4.4 cm ID)
Outer Tube:	Black powder coated
Inner Tube:	Galvanized pipe
Model Number:	TJ-2500T

5000 LB TOP WIND JACK



Load Capacity:	5000 lbs
Travel:	15" (38 cm)
Closed Height:	21.25" (54 cm)
Expanded Height:	36.22" (92 cm)
Pipe Size:	2.2" OD/2.0 ID (5.7 cm OD/5.1 cm ID)
Outer Tube:	Black powder coated
Inner Tube:	Galvanized pipe
Model Number:	TJ-5000T



RAM INDUSTRIES INC.

PO Box 5007 33 York Rd E Yorkton, SK S3N3Z4 Canada
T: 1-877-799-1005 • F: (306) 786-2651
www.ramindustries.com • sales@ramindustries.com



www.ramindustries.com

Hydraulic Cylinder Design & Manufacturing • Precision Custom Machining